

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A computer implemented method to provide a home page identifier to a client computing device, the method comprising:
receiving, over a computer network, at a redirection web site, a home page request from the client computing device, the home page request including a user identifier that identifies a user of the client device, one or more client network connection identifiers, and a client current timestamp corresponding to a timestamp at the client computing device, wherein the redirection web site performs ~~the~~ steps including:
obtaining ~~[[a]]~~ the client current timestamp from the received homepage request identifying a current time and a current day;
obtaining, from the received home page request, the one or more network connection identifiers that identify one or more computer networks to which the client computing device is currently connected ~~from the home page request;~~
retrieving, from a nonvolatile storage device, the home page identifier , wherein the retrieving further comprises:
selecting, from the nonvolatile storage device, one or more records that correspond to the

user identifier, wherein the one or more records that correspond to the user are arranged in a home page table that corresponds to the user, wherein the home page table includes a plurality of entries, and wherein each entry includes a network identifier field, a day of the week field, a time range field, and an address field, and wherein the nonvolatile storage device includes records for a plurality of user identifiers; and

identifying, from the group of selected records, the home page identifier based upon the obtained timestamp and the obtained network connection identifiers, wherein the identifying includes selecting one of the entries by matching the obtained timestamp with the day of the week field and the time range field and by matching the obtained one or more network connection identifiers with the network identifier field; and

acquiring the identified home page identifier from the address field of the selected entry;

redirecting the browser executing on the client computing device to the retrieved home page identifier;

setting a browser's home page to the retrieved home page identifier, and, wherein the setting of the browser's home page includes redirecting the

~~browser executing on the client computing device
to the retrieved home page identifier.~~

repeatedly re-performing, by the redirection web site,
the obtaining of the client current timestamp,
the obtaining of the one or more network
connection identifiers, the retrieving of the
home page identifier, and the redirecting of the
browser at predetermined time intervals.

2. (canceled)

3. (canceled)

4. (canceled)

5. (canceled)

6. (canceled)

7. (canceled)

8. (previously presented) An information handling system to provide a home page identifier to a client computing device, the information handling system comprising:
one or more processors;
a memory accessible by the processors;
a nonvolatile storage device;
one or more network adapters connecting the information handling system to one or more computer networks; and
an home page selection tool for selecting the home page,
the home page selection tool including a plurality of instructions stored in the memory and executed by at

least one of the processors to perform actions comprising:

receiving, at one of the network adapters over the computer network, a home page request from the client computing device, the home page request including a user identifier that identifies a user of the client device, one or more client network connection identifiers, and a client current timestamp corresponding to a timestamp at the client computing device, wherein the information handling system is a redirection web server that performs the steps including:

obtaining ~~[[a]]~~ the client current timestamp from the received homepage request ~~identifying a current time and a current day;~~

obtaining, from the received home page request, the one or more network connection identifiers that identify one or more computer networks to which the client computing device is currently connected ~~from the home page request;~~

retrieving, from the nonvolatile storage device, a home page identifier , wherein the retrieving further comprises:

selecting, from the nonvolatile storage device, one or more records that correspond to the user identifier, wherein the one or more records that correspond to the user are arranged in a home page table that corresponds to the user, wherein the home

page table includes a plurality of entries,
and wherein each entry includes a network
identifier field, a day of the week field, a
time range field, and an address field, and
wherein the nonvolatile storage device
includes records for a plurality of user
identifiers; ~~and~~
identifying, from the group of selected records,
the home page identifier based upon the
obtained timestamp and the obtained network
connection identifiers, wherein the
identifying includes selecting one of the
entries by matching the obtained timestamp
with the day of the week field and the time
range field and by matching the obtained one
or more network connection identifiers with
the network identifier field; and
acquiring the identified home page identifier
from the address field of the selected
entry;
redirecting the browser executing on the client
computing device to the retrieved home page
identifier;
setting a browser's home page to the retrieved
home page identifier, and, ~~wherein the~~
~~setting of the browser's home page includes~~
~~redirecting the browser executing on the~~
~~client computing device to the retrieved~~
~~home page identifier.~~

repeatedly re-performing, by the redirection web site, the obtaining of the client current timestamp, the obtaining of the one or more network connection identifiers, the retrieving of the home page identifier, and the redirecting of the browser at predetermined time intervals;.

9. (canceled)

10. (canceled)

11. (canceled)

12. (canceled)

13. (canceled)

14. (currently amended) A computer program product stored on a computer readable medium comprising computer instructions that, when executed by an information handling system, cause the information handling system to perform actions to provide a home page identifier to a client computing device, the actions ~~method~~ comprising: receiving, over a computer network, at a redirection web site, a home page request from the client computing device, the home page request including a user identifier that identifies a user of the client device, one or more client network connection identifiers, and a client current timestamp corresponding to a timestamp at the client computing

device, wherein the redirection web site performs the steps including:

obtaining [[a]] the client current timestamp from the received homepage request identifying a current time and a current day;

obtaining, from the received home page request, the one or more network connection identifiers that identify one or more computer networks to which the client computing device is currently connected from the home page request;

retrieving, from a nonvolatile storage device, the home page identifier , wherein the retrieving further comprises:

selecting, from the nonvolatile storage device, one or more records that correspond to the user identifier, wherein the one or more records that correspond to the user are arranged in a home page table that corresponds to the user, wherein the home page table includes a plurality of entries, and wherein each entry includes a network identifier field, a day of the week field, a time range field, and an address field, and wherein the nonvolatile storage device includes records for a plurality of user identifiers; and

identifying, from the group of selected records, the home page identifier based upon the obtained timestamp and the obtained network connection identifiers, wherein the

identifying includes selecting one of the entries by matching the obtained timestamp with the day of the week field and the time range field and by matching the obtained one or more network connection identifiers with the network identifier field; and
acquiring the identified home page identifier from the address field of the selected entry;

redirecting the browser executing on the client computing device to the retrieved home page identifier;

setting a browser's home page to the retrieved home page identifier, ~~and, wherein the setting of the browser's home page includes redirecting the browser executing on the client computing device to the retrieved home page identifier.~~

repeatedly re-performing, by the redirection web site, the obtaining of the client current timestamp, the obtaining of the one or more network connection identifiers, the retrieving of the home page identifier, and the redirecting of the browser at predetermined time intervals.

15. (canceled)
16. (canceled)
17. (canceled)
18. (canceled)

19. (canceled)

20. (canceled)

21. (canceled)

22. (canceled)

23. (canceled)